

MSDS Ref:  
TR 300

**Triton Systems**  
Units 3-5 Crayford Commercial Centre, Greyhound Way  
Crayford, Kent DA1 4HF  
Tel: 01322 318830 Fax: 01322 524017  
[www.tritonsystems.co.uk](http://www.tritonsystems.co.uk) [info@tritonsystems.co.uk](mailto:info@tritonsystems.co.uk)

Publication Date  
04/04/1997Revision Date  
30/08/2011**1. PRODUCT NAME TRIMOL RESINS 15,34,35,36,40,41****2. HAZARD IDENTIFICATION**Irritant  
Irritating to skin and eyes**3. COMPOSITION**

HAZARDOUS INGREDIENT	CAS Nos.	Weight %	Symbols	Risk Phrases
Bisphenol A and F epoxy Resins, diglycidyl ethers	25068-38-6, 68609-97-2 28064-14-4	100	Xi (Irritant)	R36/38,43,51/53

**4. FIRST AID**

CONTACT WITH SKIN:	Wash with plenty of soap and water.
CONTACT WITH EYES:	Wash out with water for several minutes and seek medical advice.
INGESTION:	Seek medical advice in the event of discomfort.
INHALATION:	Remove to fresh air if fumes cause irritation of nose or throat.
OTHER INFORMATION:	May aggravate existing respiratory problems.

**5. FIRE-FIGHTING MEASURES**

SUITABLE EXTINGUISHING MEDIA:	Dry powder or foam. For small fires use CO <sub>2</sub> , never use water jet.
SPECIAL PROTECTIVE EQUIPMENT:	For fires in confined spaces, use breathing apparatus.

**6. ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS:	Wear suitable protective clothing appropriate to the amount involved, which may include eye/face protection, PVC or synthetic rubber gloves, protective footwear and overalls.
ENVIRONMENTAL PRECAUTIONS:	Do not allow to enter public sewers and watercourses If this cannot be avoided, inform the appropriate authority.
CLEAN-UP PROCEDURES:	Absorb in dry sand or earth or similar absorbents and shovel into a suitable closed container for disposal according to item 8.

## 7. HANDLING AND STORAGE

HANDLING PRECAUTIONS: Observe good hygiene standards and minimise skin contact. Wear suitable protective clothing according to item 8.

STORAGE INFORMATION: Keep containers tightly closed in a cool place, out of direct sunlight. Keep stored well ventilated.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION



Where prolonged or repeated exposure is likely, protective clothing should be worn, including eye protection, boots and PVC or synthetic rubber gloves. Wash hands and exposed skin before meals and after work. Do not eat, drink or smoke whilst handling the product. Do not wear contaminated clothing. Ventilate confined spaces thoroughly.

EXPOSURE LIMITS: None prescribed in EH40  
Slight irritant, not considered hazardous.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear, golden liquid
Odour	Faint
pH	7 (50% suspension in water)
Boiling Point	Decomposes
Melting Point	Not relevant
Flash Point	>150°C
Autoignition temperature	No data
Explosive properties	No data

Oxidising Properties	None
Vapour Pressure	1Pa (20°C)
Relative density	1.2-1.13 (15°C)
Bulk density	Not Relevant
Viscosity	No data
Solubility	Insoluble in water
Partition Coefficient	No data
Other data	

## 10. STABILITY / REACTIVITY

STABILITY: Stable under normal conditions of use.

CONDITIONS TO AVOID: High temperatures (degrades resin).

MATERIALS TO AVOID: Strong oxidising agents, acids and bases.  
Excess of hardener (uncontrolled polymerisation reaction).

## 11. TOXICOLOGICAL INFORMATION

Not available data on acute toxicity. Irritating to eyes.  
A mild skin irritant and mild sensitising agent.



## 12. ECOLOGICAL INFORMATION

MOBILITY:	Low soil absorption.
DEGRADABILITY:	Not easily biodegradable.
ACCUMULATION:	There is potential for bioaccumulation. Biomagnification is unlikely.
ECTOTOXICITY:	Toxic to aquatic organisms: (TLm96: fish 1.2mg/litre, Daphnia 2.7mg/litre, algae 9.4mg/litre)

## 13. DISPOSAL INFORMATION

DISPOSAL OF PRODUCT:	Chemical residues are normally regarded as special waste. Dispose of in accordance with local and national regulations (incinerate or landfill).
DISPOSAL OF PACKAGING:	Uncleaned packaging should be treated as for the product.

## 14. TRANSPORT INFORMATION

UN No.	None assigned
PROPER SHIPPING NAME	Liquid epoxy resin
ADR/RID	Not classified as hazardous
IMCO	Not classified as hazardous
	MFAG Table No.
	EmS No.
IATO/IACO	Not classified as hazardous
PACKING GROUP	
LABEL	No hazard label

## 15. REGULATORY INFORMATION

CLASSIFICATION:	Irritant
LABEL INFORMATION	S24: Irritating to eyes and skin S26: May cause sensitisation by skin contact. S28: After contact with skin, wash immediately with plenty of water. S37/39: Wear suitable gloves and eye/face protection.

Refer to other relevant legislation such as Health and Safety at Work etc., Act (HSWA), the Control of Substances Hazardous to Health Regulations (COSHH), the Environment Protection Act and the Control of Pollution Act.


The information contained in this safety data sheet does not constitute the user's own assessment of workplace risk as required by health and safety legislation.

## 16. OTHER INFORMATION

The information contained in this data is to the best of our knowledge accurate at the date of publication, but we cannot accept responsibility that it is sufficient or correct in all cases.

The data contained herein does not constitute a specification. Such information is available from the technical data sheet for the product.

*Abbreviations: OES – occupational exposure standard. STEL – short-term exposure limit. LTEL – long term exposure limit. TWA – time weighted (8 hour) average. LEL – lower explosive limit. UEL – upper explosive limit.*



Non Hazardous

MSDS Ref:  
TR 307

**Triton Systems**  
Units 3-5 Crayford Commercial Centre, Greyhound Way  
Crayford, Kent DA1 4HF  
Tel: 01322 318830 Fax: 01322 524017  
[www.tritonsystems.co.uk](http://www.tritonsystems.co.uk) [info@tritonsystems.co.uk](mailto:info@tritonsystems.co.uk)

Publication date  
15/04/1997

Revision date  
08/09/2011

## 1. PRODUCT NAME:

# TRIMOL 15 FILLER

## 2. HAZARD IDENTIFICATION

There are not particular hazards associated with this product in normal use.

## 3. COMPOSITION

An inert, light-weight inorganic filler consisting of aluminosilicate glass of particle size between 5 and 300 micrometres.

## 4. FIRST AID

CONTACT WITH SKIN:

Wash off with plenty of water or soap and water.

CONTACT WITH EYES:

Wash out with water for several minutes. Seek medical advice.

INGESTION:

Not likely to cause any adverse effects in the amounts which could be taken.

INHALATION:

Remove to fresh air.

OTHER INFORMATION:

## 5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:

As appropriate to surrounding fire.

SPECIAL PROTECTIVE EQUIPMENT:

No particular requirement.

## 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

Wear respiratory protection if large amounts of dust are generated.

ENVIRONMENTAL PRECAUTIONS:

No environment hazard.

CLEAN UP PROCEDURES:

Sweep up and place in container for re-use or disposal to landfill.

## 7. HANDLING AND STORAGE

HANDLING PRECAUTIONS:

Observe normal industrial hygiene standards.

STORAGE INFORMATION:

Keep containers tightly closed in a cool place. Protect from frost.



## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

The quantity of the Filler in the Trimol 15 pack is not likely to present a risk in handling, but eye protection and respiratory protection may be used if the filler is handled frequently or in large amounts.

EXPOSURE LIMITS

OES: 10g/m<sup>3</sup> total respirable dust (EH40)

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Light grey or buff powder	Oxidising properties	None
Odour	None	Vapour pressure	Not relevant
pH	Not relevant	Relative density	No data
Boiling Point	Not relevant	Bulk density	350kg/m <sup>3</sup>
Melting Point	1350°C	Viscosity	Not relevant
Flash Point	Not combustible	Solubility	Insoluble in water
Autoignition temperature	Not relevant	Partition Coefficient	Not relevant
Explosive Properties	Not explosive	Other data	

## 10. STABILITY / REACTIVITY

STABILITY: Stable.

CONDITIONS TO AVOID: No special requirements.

MATERIALS TO AVOID: None.

## 11. TOXICOLOGICAL INFORMATION

Not toxic.

## 12. ECOLOGICAL INFORMATION

MOBILITY: Not mobile in the soil.

DEGRADABILITY: Inert, not biodegradable.

ACCUMULATION: There is no likelihood of bioaccumulation or biomagnification.

ECOTOXICITY: Not ecotoxic.

## 13. DISPOSAL CONSIDERATIONS

DISPOSAL OF PRODUCT: Dispose of by landfill in a commercial site, in accordance with local and national regulations.

DISPOSAL OF PACKAGING: As for the product.

## 14. TRANSPORT INFORMATION

Not regulated for transport by road, rail, sea or air.



## 15. REGULATORY INFORMATION

CLASSIFICATION: Not classified as hazardous

LABEL INFORMATION: None

Refer to other relevant legislations such as the Health and Safety at Work etc., Act (HSWA), The Control of Substances Hazardous to Health Regulations (COSHH), the Environment Protection Act and the Control of Pollution Act.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risk as required by health and safety legislation.

---

## 16. OTHER INFORMATION

The information contained in this data sheet is to the best of our knowledge accurate at the date of publication, but we cannot accept responsibility that it is sufficient or correct in all cases.

The data contained herein does not constitute a specification. Such information is available from the technical data sheet for the product.

*Abbreviations: OES – occupational exposure standard. STEL – short-term exposure limit. LTEL – long term exposure limit. TWA – time weighted (8 hour) average. LEL – lower explosive limit. UEL – upper explosive limit.*



MSDS Ref:  
TR 301

**Triton Systems**  
Units 3-5 Crayford Commercial Centre, Greyhound Way  
Crayford, Kent DA1 4HF  
Tel: 01322 318830 Fax: 01322 524017  
[www.tritonsystems.co.uk](http://www.tritonsystems.co.uk) [info@tritonsystems.co.uk](mailto:info@tritonsystems.co.uk)

Publication Date  
04/04/1997

Revision Date  
30/08/2011

## 1. PRODUCT NAME **TRIMOL HARDENER 15,34,35,36**

## 2. HAZARD IDENTIFICATION



Corrosive – Causes burns  
Harmful if swallowed  
May cause sensitisation by skin contact  
Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## 3. COMPOSITION

HAZARDOUS INGREDIENT	CAS Nos.	EC No.	Weight %	Symbols	Risk Phrases
Trimethylhexamethylene diamine	25620-58-0	247-134-8	100	C (Corrosive)	R22,34,43,52/53

## 4. FIRST AID

CONTACT WITH SKIN:	Wash with plenty of soap and water. If irritation persists, obtain medical advice.
CONTACT WITH EYES:	Wash out with water for several minutes and seek medical advice.
INGESTION:	Give plenty of water – if possible, charcoal slurry. Do not induce vomiting.
INHALATION:	Remove to fresh air. If symptoms persist, seek medical advice.
OTHER INFORMATION:	Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:	Dry powder or foam. For small fires use CO <sub>2</sub> , never use water jet.
SPECIAL PROTECTIVE EQUIPMENT:	For fires in confined spaces, use breathing apparatus.

## 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	Wear suitable protective clothing appropriate to the amount involved, which may include eye/face protection, PVC or synthetic rubber gloves, protective footwear and overalls.
ENVIRONMENTAL PRECAUTIONS:	Do not allow to enter public sewers and watercourses If this cannot be avoided, inform the appropriate authority.
CLEAN-UP PROCEDURES:	Absorb in dry sand or earth or similar absorbents and shovel into a suitable closed container for disposal according to item 13.

## 7. HANDLING AND STORAGE

HANDLING PRECAUTIONS: Ensure adequate ventilation in work areas. Keep away from sources of ignition – no smoking. Handle and open container with care.

STORAGE INFORMATION: Keep containers tightly closed in a cool place, out of direct sunlight. Keep stored well ventilated. Keep away from food and feeding stuffs.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION



Wear protective clothing should be worn, including eye protection, boots and PVC or synthetic rubber gloves. In case of insufficient ventilation, wear suitable respiratory protective equipment. Wash hands and exposed skin before meals and after work. Do not eat, drink or smoke whilst handling the product.

EXPOSURE LIMITS None prescribed in EH40

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear, colourless liquid
Odour	Amine - like
pH	11.3 (50% in water)
Boiling Point	>200°C
Melting Point	Not relevant
Flash Point	>180°C (CC)
Autoignition temperature	No data
Explosive properties	No data

Oxidising Properties	None
Vapour Pressure	6Pa (20°C)
Relative density	0.86-0.87 (20°C)
Bulk density	Not Relevant
Viscosity	5mPa.s (25°)
Solubility	Miscible in water
Partition Coefficient	No data
Other data	

## 10. STABILITY / REACTIVITY

STABILITY: Stable under normal conditions of use.

CONDITIONS TO AVOID: High temperatures, formation of aerosols, static discharges.

MATERIALS TO AVOID: Strong oxidising agents, acids and bases.

## 11. TOXICOLOGICAL INFORMATION

LD<sub>50</sub> (rat, oral): 910mg/kg. Eye irritation (rabbit): corrosive. Skin irritation (rabbit): Corrosive.

Dermal sensitisation (guinea pig): sensitiser.

## 12. ECOLOGICAL INFORMATION

MOBILITY:	Avoid soil penetration.
DEGRADABILITY:	Not easily biodegradable.
ACCUMULATION:	There is potential for bioaccumulation. Biomagnification is unlikely.
ECTOTOXICITY:	Toxic to aquatic organisms: (LC <sub>50</sub> (fish) 96h:1000mg/litre, EC <sub>50</sub> (daphnia) 24h:31.5mg/litre EC <sub>50</sub> (algae) 72h: 29.5mg/litre), IC <sub>50</sub> (bacteria) 3h:100mg/litre).

## 13. DISPOSAL INFORMATION

DISPOSAL OF PRODUCT:	Chemical residues are normally regarded as special waste. Incinerate in compliance with the Environmental Protection Act 1990 (Process Guidance Note IPR5/1)
DISPOSAL OF PACKAGING:	Uncleaned packaging should be treated as for the product. After cleaning, can be landfilled.

## 14. TRANSPORT INFORMATION

UN No.	2327
PROPER SHIPPING NAME	Trimethylhexamethylene diamines, solution
ADR/RID	Class 8. Item 53(c)
IMCO	Class 8 IMDG Code page 08243
	MFAG Table No. 320
IATO/IACO	EmS No. 8.05
PACKING GROUP	Class 8
LABEL	3 Corrosive



## 15. REGULATORY INFORMATION

CLASSIFICATION:	Corrosive
LABEL INFORMATION	R34: Causes burns R22: Harmful if swallowed R43: May cause sensitisation by skin contact R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37/39: Wear suitable protective clothing, gloves and eye/face protection. S45: In case of accident or if you feel unwell, seek medical advice (show the label where possible).

Refer to other relevant legislation such as Health and Safety at Work etc., Act (HSWA), the Control of Substances Hazardous to Health Regulations (COSHH), the Environment Protection Act and the Control of Pollution Act.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risk as required by health and safety legislation.



## 16. OTHER INFORMATION

The information contained in this data is to the best of our knowledge accurate at the date of publication, but we cannot accept responsibility that it is sufficient or correct in all cases.

The data contained herein does not constitute a specification. Such information is available from the technical data sheet for the product.

*Abbreviations: OES – occupational exposure standard. STEL – short-term exposure limit. LTEL – long term exposure limit. TWA – time weighted (8 hour) average. LEL – lower explosive limit. UEL – upper explosive limit.*